

Risk Management Official Annual Report
for the Mississippi-Rideau Source Protection Region

Required under Section 81 of the *Clean Water Act*

Risk Management Official (RMO): Tessa Di Iorio, M.Sc., P.Geo.

Period: January 1- December 31, 2018

Source Protection Region: Mississippi-Rideau

Source Protection Area: Rideau

Municipality: The City of Ottawa

Required Report Content (under section 65 of O. Reg. 287/07)		Number	Details
1	Risk Management Plans agreed to by the RMO under subsection 56(1) or 58(5) of the Act and the number of plans established by the RMO under subsection 56(6), 58(10) or (12) of the Act	3	See Table 1
2	Risk Management Plans the RMO refused to agree to or to establish under subsection 56(9), 58(15) or (16)	0	n/a
3	Orders issued under Part IV of the Act	0	n/a
4	Notices given to or by the RMO under subsection 61(2), (7) and (10)	0	n/a
5	Inspections carried out under section 62 of the Act (for the purpose of enforcement)	0	n/a
6	Risk assessments submitted under section 60 of the Act	0	n/a
7	RMO caused a thing to be done under section 64 of the Act	0	n/a
8	Prosecutions and convictions under section 106 of the Act	0	n/a

The City of Ottawa Risk Management Office implements Part IV policies, including:

- review of development applications within vulnerable areas made under the *Planning Act* related to new activities;
- development of Section 59 internal screening procedures including a Section 59 By-Law for *Planning Act* and *Building Code Act* applications; will be completed as part of the Official Plan and Zoning By-Law conformity updates;
- initial development of an RMO database to facilitate threats verification for existing activities.

Rideau-Mississippi Source Protection staff was retained by the City to support Part IV policy implementation related to existing significant drinking water threat activities. This comprises verifying existing threats and if necessary, negotiating Risk Management Plans in vulnerable areas to safeguard drinking water sources. Work related to existing threats is ongoing and completion is expected in early 2019.

Table 1: Information requirements for established Risk Management Plans

Information required in Section 65 (1) of O.Reg. 287/07:			
Risk Management Plans agreed to by the RMO under subsection 56(1) or 58(5) of the Act			
RMP #	The location of the property to which the plan relates.	The wellhead protection area of surface water intake protection zone where the property is located.	The activity to which the plan relates.
Ottawa-MR-Fuel-1	23 Coldstream Drive	Munster WHPA-B (vulnerability score 10)	Storage of fuel
Ottawa-MR-Fuel-2	24 Butterwick Street	Munster WHPA-B (vulnerability score 10)	Storage of fuel
Ottawa-MR-Fuel-4	53 Coldstream Drive	Munster WHPA-B (vulnerability score 10)	Storage of fuel